

FOREVER BY YOUR SIDE






Bada Dost is the big friend that connects businesses with people – right from the doorstep of clients to the doorstep of end users, navigating through city lanes and highways with equal ease. Powered by the latest i-GEN6 technology, Bada Dost is holistically designed to help you increase profitability and improve quality of life.

Set to create a paradigm shift, Bada Dost brings many industry first offerings. Complete with an unmatched experience, Bada Dost is here to offer you friendship for a lifetime.


BIG ON COMFORT




**FIRST-IN-CLASS
ARAI Certified
3 seater (1 + 2)**



**Easy Walkthrough Cabin
with Dash Mounted Gear**




Power Steering and Factory-fitted AC



Ergonomic Seats and Controls

BIG ON PERFORMANCE



**59.6 kW (80 hp) Power
and 190 Nm Torque**



**Power Packed for City and Highway
Driving; Low Turning Circle Radius**



Bigger and Wider Tyres



Leaf Springs

**Front: Parabolic for Superior Comfort
Rear: Semi Elliptical for Carrying More Load**

BIG ON SAVINGS




More Profit Per Trip



Superior Fuel Efficiency



Best-in-class Load Body Length and Loading Area



Best-in-class Payload

BIG ON EXPERIENCE




3 years, 100 000 km warranty



Service At Site Vans and Bikes



PAN India Sales and Service Network



Multi-lingual Toll-free Helpline

TECHNICAL SPECIFICATIONS	BADA DOST i4	BADA DOST i3
Engine		
Engine	1.5 L, 3 Cylinder Diesel Engine BS VI compliant	
Type	Turbo Charged Intercooled with Lean NOx Trap (LNT)	
Displacement	1478 cc	
Maximum power (kW) @rpm	59.6 kW (80 hp) @ 3300 rpm	
Maximum Torque (Nm) @rpm	190 Nm @ 1600-2400 rpm	
Clutch		
Clutch	240 mm, Single, Diaphragm Push Type Cable Operated	
Transmission		
Gearbox	Fully Synchronized 5 Speed, Manual with Cable Shift	
PTO Provision	Yes	
Steering		
Type	Power Assisted, Tilttable Column	
Brakes		
Brake Type	Hydraulic Vacuum Assisted Brakes	
Front	Ventilated Discs	
Rear	Drum	
Suspension		
Front	Overslung Parabolic (3 Leaves) – 2 Stage	
Rear	Overslung Semi Elliptic (3+3 Leaves) – 2 Stage	
Tyres (Size/Type)		
Tyres	7.00 R15 LT –12PR (Tube type)	215/75 R15 LT (Tubeless)
Weight		
Gross Vehicle Weight (GVW)	3,490 kg	2,990 kg
Payload (FSD LS variant)	1,860 kg	1,400 kg
Seating Capacity		
Driver + Co-driver	3 Seater - ARAI Certified (1 Driver + 2 Co-driver)	
Fuel Tank Capacity (in litre)		
Capacity	50 L	40 L
Dimensions		
Wheelbase (in mm)	2,590	2,590
Overall Length (in mm)	5,025	4,935
Overall Width (in mm)	1,842	1,842
Overall Height (in mm)	2,061	2,037
Load Body Dimension (FSD) – L x B x H (in mm)	2951 x 1750 x 490 (9.8ft x 5.9ft x 1.7ft)	2860 x 1750 x 441 (9.5ft x 5.9ft x 1.5ft)
Loading Platform Height	945 mm (3.1 Feet)	920 mm (3 Feet)
Performance		
Top Speed	80 kmph*	80 kmph*
Gradeability (Restart)	~23.2 %	~28.3%
Load Body Option		
Standard	CBC, FSD	
Other possible options	HSD, Container, Reefer body, Refuse collection	

COLOURS



LS/LX

Ultra Blue

Stable Grey

Casablanca White

Irish Cream

AUTHORISED DEALER

For further details, please contact:

1800 1022 666 (toll-free)

www.ashokleyland.com

Or write to us at:

Ashok Leyland Limited, 6th Floor - LCV Marketing,
No.1 Sardar Patel Road, Guindy, Chennai - 600 032.
Tel: (044) 22206000